

Solicitation Number: M8-091004-N

**4X2 CAB FORWARD DRY CARGO VAN, MIN 10,001 LBS GVWR, ELECTRIC IN ACCORDANCE WITH FEDERAL STANDARDS  
DATED JULY 1, 2009**

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
95E.1	1 / 0			
		<b>Net Invoice:</b>	<b>Net MSRP:</b>	

**OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.**

Model Name: CT1061

Assembly Point: \_\_\_\_\_

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: \_\_\_\_\_

**GSA Minimum Req.****OEM Data****Body/Chassis**

TILT CAB	Comply
TRIM LEVEL	Base
MFG. MODEL CODE	CT1061
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16665

**Cab to Axle**

CAB TO AXLE, INCHES	84
---------------------	----

**Engine Minimums**

HORSEPOWER (min)	100KW
TORQUE (lb ft)	480 lb ft

**Alternative Fuel Engines**

ELECTRIC BATTERY POWERED VEHICLE	LITHIUM PHOSPHATE
----------------------------------	----------------------

**Electrical**

CHARGER - ON BOARD BATTERY	Comply
----------------------------	--------

**Exterior**

EXTRA WIDE MIRRORS	Comply
--------------------	--------

**Doors and Windows**

DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	Comply

**Lights and Lighting**

DAYTIME RUNNING LIGHTS	Comply
------------------------	--------

**Interior**

TILT STEERING	Comply
AIR CONDITIONING	Comply

**Solicitation Number: M8-091004-N****4X2 CAB FORWARD DRY CARGO VAN, MIN 10,001 LBS GVWR, ELECTRIC IN ACCORDANCE WITH FEDERAL STANDARDS  
DATED JULY 1, 2009**

	POWER STEERING	Comply		
	UPHOLSTERY	Comply		
<b>Floor</b>				
	FLOOR COVERING	COMPLY		
<b>Radio</b>				
	AM/FM RADIO WITH COMPACT DISC PLAYER	Comply		
<b>Seats</b>				
	SEATING CAPACITY min.	3		
	SPLIT FRONT BENCH SEAT	Comply		
<b>Safety</b>				
	POWER ANTILOCK BRAKES, FRONT AND REAR	Comply		
	RESTRAINT SYSTEM, ALL SEATED POSITIONS	Comply		
	FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	Comply		
<b>Suspension</b>				
	SUSPENSION/SHOCKS	Comply		
<b>Tires and Wheels</b>				
	LOAD RANGE	F		
	SPARE TIRE ASSEMBLY	Comply		
	TIRES	7.50-16		
<b>Vendor Furnished Body Items</b>				
	BODY LENGTH, 12 FT	Comply		
	ROLL-UP REAR DOOR	Comply		
	HEIGHT INTERIOR, 84 IN	Comply		
	WOOD FLOORING	Comply		
	FLAT CARGO FLOOR	Comply		
	FIBERGLASS DELIVERY VAN BODY	Comply		
<b>Warranty</b>				
	BATTERY PACK WARRANTY	5yr/ 36,000 mile		
	OEM CORROSION WARRANTY	3yr/36,000 mile		
	OEM POWERTRAIN WARRANTY	5yr/100,000 mile		
	OEM COMPREHENSIVE WARRANTY	3yr/36,000 mile		
	CONTRACTOR COMPREHENSIVE WARRANTY	1yr/12,000 mile		
<b>Optional Equipment</b>		<b>Add Ship</b>	<b>OEM Data</b>	<b>Option Prices</b>
<b>Paint</b>				
<b>BPC</b>	BODY PAINT COLOR	_____	Stand Alone	\$_____
<b>Doors and Windows</b>				
<b>RKE</b>	REMOTE KEYLESS ENTRY	_____	Stand Alone	\$_____
<b>PWL</b>	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	\$_____
<b>Interior</b>				

**Solicitation Number: M8-091004-N****4X2 CAB FORWARD DRY CARGO VAN, MIN 10,001 LBS GVWR, ELECTRIC IN ACCORDANCE WITH FEDERAL STANDARDS  
DATED JULY 1, 2009**

<b>CR</b>	CRUISE CONTROL	_____	Stand Alone	\$ _____
<b>CU</b>	CLOTH UPHOLSTERY	_____	Stand Alone	\$ _____

***Tires and Wheels***

<b>AT</b>	ALL TERRAIN TIRE TREAD	_____	Stand Alone	\$ _____
<b>PLAB</b>	TIRE PRESSURE MONITORING SYSTEM	_____	Stand Alone	\$ _____
<b>TD</b>	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$ _____

***Vendor Furnished Body Items***

<b>AHV</b>	AUXILIARY CARGO COMPARTMENT HEATER	_____	Stand Alone	\$ _____
<b>B14</b>	BODY LENGTH, 14 FT	_____	Stand Alone	\$ _____
<b>B16</b>	BODY LENGTH, 16 FT	_____	Stand Alone	\$ _____
<b>B18</b>	BODY LENGTH, 18 FT	_____	Stand Alone	\$ _____
<b>BDF</b>	DIAMOND TREAD STEEL FLOOR	_____	Stand Alone	\$ _____
<b>BDK</b>	DOCK BUMPER	_____	Stand Alone	\$ _____
<b>BR</b>	TRANSLUCENT ROOF	_____	Stand Alone	\$ _____
<b>BRT</b>	INTERIOR ROPE TIES	_____	Stand Alone	\$ _____
<b>BSF</b>	SMOOTH STEEL FLOOR	_____	Stand Alone	\$ _____
<b>CMS</b>	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	\$ _____
<b>CRT</b>	CARGO RESTRAINING TRACK	_____	Stand Alone	\$ _____
<b>DOM</b>	2 CEILING DOME LIGHTS	_____	Stand Alone	\$ _____
<b>DSH</b>	HINGED SIDE DOOR	_____	Stand Alone	\$ _____
<b>DSR</b>	ROLL UP SIDE DOOR	_____	Stand Alone	\$ _____
<b>DVAL</b>	DELIVERY VAN ALUMINUM BODY	_____	Stand Alone	\$ _____
<b>DVD</b>	FULL WIDTH DUAL REAR DOORS	_____	Stand Alone	\$ _____
<b>DVE</b>	HEIGHT INTERIOR, 78 IN	_____	Stand Alone	\$ _____
<b>DVG</b>	DRIVER'S FAN	_____	Stand Alone	\$ _____
<b>HTGR</b>	RAIL TYPE LIFT GATE	_____	Stand Alone	\$ _____
<b>ILF</b>	INTERIOR LINING	_____	Stand Alone	\$ _____
<b>ILH</b>	PARTIAL INTERIOR LINING	_____	Stand Alone	\$ _____
<b>IR4</b>	INSULATION, CARGO BODY	_____	Stand Alone	\$ _____
<b>J560</b>	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	\$ _____
<b>LEDV</b>	BODY EXTERIOR DOT LIGHTING, LED	_____	Stand Alone	\$ _____
<b>RCA</b>	CARGO RAILS	_____	Stand Alone	\$ _____
<b>SSD</b>	SIDE DOOR STEPS	_____	Stand Alone	\$ _____
<b>TLR</b>	LOADING RAMPS	_____	Stand Alone	\$ _____
<b>VRS</b>	ROOF VENTILATION, STATIC	_____	Stand Alone	\$ _____

***Delivery***

<b>CNS</b>	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$ _____
------------	-------------------------------------	-------	-------------	----------

***Miscellaneous***

<b>MIL</b>	DATA PLATE AND DD250	_____	Stand Alone	\$ _____
<b>PSM</b>	PARTS AND SERVICE MANUALS	_____	Stand Alone	\$ _____

**Solicitation Number: M8-091004-N****4X2 CAB FORWARD DRY CARGO VAN, MIN 10,001 LBS GVWR, ELECTRIC IN ACCORDANCE WITH FEDERAL STANDARDS  
DATED JULY 1, 2009**

<b>PSMA</b>	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	\$_____
<b>PSME</b>	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$_____

Solicitation Number: M8-091004-N

**4X2 CAB FORWARD DRY CARGO VAN, MIN 16,001 LBS GVWR, CNG-HEV IN ACCORDANCE WITH FEDERAL STANDARDS  
DATED JULY 1, 2009**

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
95H.1	1 / 0			
		<b>Net Invoice:</b>	<b>Net MSRP:</b>	

**OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.**

Model Name: CT1061

Assembly Point: \_\_\_\_\_

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: \_\_\_\_\_

**GSA Minimum Req.****OEM Data****Body/Chassis**

TILT CAB	COMPLY
TRIM LEVEL	STD
MFG. MODEL CODE	CT1061
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16,665

**Cab to Axle**

CAB TO AXLE, INCHES	84
---------------------	----

**Engine Minimums**

ENGINE TYPE (Cylinders / Liters)	4/2.0
HORSEPOWER (min)	132HP
TORQUE (lb ft)	140 lb ft

**Alternative Fuel Engines**

DEDICATED COMPRESSED NATURAL GAS	COMPLY
HYBRID ELECTRIC VEHICLE	65KW LITHIUM PHOSPHATE

**Exterior**

EXTRA WIDE MIRRORS	COMPLY
--------------------	--------

**Doors and Windows**

DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

**Lights and Lighting**

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

**Interior**

TILT STEERING	COMPLY
AIR CONDITIONING	COMPLY

**Solicitation Number: M8-091004-N****4X2 CAB FORWARD DRY CARGO VAN, MIN 16,001 LBS GVWR, CNG-HEV IN ACCORDANCE WITH FEDERAL STANDARDS  
DATED JULY 1, 2009**

	POWER STEERING	COMPLY		
	UPHOLSTERY	COMPLY		
<b>Floor</b>				
	FLOOR COVERING	COMPLY		
<b>Radio</b>				
	AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY		
<b>Seats</b>				
	SEATING CAPACITY min.	3		
	SPLIT FRONT BENCH SEAT	COMPLY		
<b>Safety</b>				
	POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY		
	RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY		
	FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY		
<b>Suspension</b>				
	SUSPENSION/SHOCKS	COMPLY		
<b>Tires and Wheels</b>				
	LOAD RANGE	F		
	SPARE TIRE ASSEMBLY	COMPLY		
	TIRES	7.50-16		
<b>Vendor Furnished Body Items</b>				
	BODY LENGTH, 12 FT	COMPLY		
	ROLL-UP REAR DOOR	COMPLY		
	HEIGHT INTERIOR, 84 IN	COMPLY		
	WOOD FLOORING	COMPLY		
	FLAT CARGO FLOOR	COMPLY		
	FIBERGLASS DELIVERY VAN BODY	COMPLY		
<b>Warranty</b>				
	BATTERY PACK WARRANTY	5yr /36,000 mile		
	OEM CORROSION WARRANTY	3yr /36,000 mile		
	OEM POWERTRAIN WARRANTY	5yr /100,000 mile		
	OEM COMPREHENSIVE WARRANTY	3yr /36,000 mile		
	CONTRACTOR COMPREHENSIVE WARRANTY	1yr /12,000 mile		
<b>Optional Equipment</b>		<b>Add Ship</b>	<b>OEM Data</b>	<b>Option Prices</b>
<b>Paint</b>				
<b>BPC</b>	BODY PAINT COLOR	_____	Stand Alone	\$_____
<b>Doors and Windows</b>				
<b>RKE</b>	REMOTE KEYLESS ENTRY	_____	Stand Alone	\$_____
<b>PWL</b>	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	\$_____
<b>Interior</b>				

**Solicitation Number: M8-091004-N****4X2 CAB FORWARD DRY CARGO VAN, MIN 16,001 LBS GVWR, CNG-HEV IN ACCORDANCE WITH FEDERAL STANDARDS  
DATED JULY 1, 2009**

<b>CR</b>	CRUISE CONTROL	_____	Stand Alone	\$ _____
<b>CU</b>	CLOTH UPHOLSTERY	_____	Stand Alone	\$ _____

***Tires and Wheels***

<b>AT</b>	ALL TERRAIN TIRE TREAD	_____	Stand Alone	\$ _____
<b>PLAB</b>	TIRE PRESSURE MONITORING SYSTEM	_____	Stand Alone	\$ _____
<b>TD</b>	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$ _____

***Vendor Furnished Body Items***

<b>AHV</b>	AUXILIARY CARGO COMPARTMENT HEATER	_____	Stand Alone	\$ _____
<b>B14</b>	BODY LENGTH, 14 FT	_____	Stand Alone	\$ _____
<b>B16</b>	BODY LENGTH, 16 FT	_____	Stand Alone	\$ _____
<b>B18</b>	BODY LENGTH, 18 FT	_____	Stand Alone	\$ _____
<b>BDF</b>	DIAMOND TREAD STEEL FLOOR	_____	Stand Alone	\$ _____
<b>BDK</b>	DOCK BUMPER	_____	Stand Alone	\$ _____
<b>BR</b>	TRANSLUCENT ROOF	_____	Stand Alone	\$ _____
<b>BRT</b>	INTERIOR ROPE TIES	_____	Stand Alone	\$ _____
<b>BSF</b>	SMOOTH STEEL FLOOR	_____	Stand Alone	\$ _____
<b>CMS</b>	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	\$ _____
<b>CRT</b>	CARGO RESTRAINING TRACK	_____	Stand Alone	\$ _____
<b>DOM</b>	2 CEILING DOME LIGHTS	_____	Stand Alone	\$ _____
<b>DSH</b>	HINGED SIDE DOOR	_____	Stand Alone	\$ _____
<b>DSR</b>	ROLL UP SIDE DOOR	_____	Stand Alone	\$ _____
<b>DVAL</b>	DELIVERY VAN ALUMINUM BODY	_____	Stand Alone	\$ _____
<b>DVD</b>	FULL WIDTH DUAL REAR DOORS	_____	Stand Alone	\$ _____
<b>DVE</b>	HEIGHT INTERIOR, 78 IN	_____	Stand Alone	\$ _____
<b>DVG</b>	DRIVER'S FAN	_____	Stand Alone	\$ _____
<b>HTGR</b>	RAIL TYPE LIFT GATE	_____	Stand Alone	\$ _____
<b>ILF</b>	INTERIOR LINING	_____	Stand Alone	\$ _____
<b>ILH</b>	PARTIAL INTERIOR LINING	_____	Stand Alone	\$ _____
<b>IR4</b>	INSULATION, CARGO BODY	_____	Stand Alone	\$ _____
<b>J560</b>	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	\$ _____
<b>LEDV</b>	BODY EXTERIOR DOT LIGHTING, LED	_____	Stand Alone	\$ _____
<b>RCA</b>	CARGO RAILS	_____	Stand Alone	\$ _____
<b>RH4V</b>	DRAW BAR RECEIVER CLASS IV	_____	Stand Alone	\$ _____
<b>SSD</b>	SIDE DOOR STEPS	_____	Stand Alone	\$ _____
<b>TLR</b>	LOADING RAMPS	_____	Stand Alone	\$ _____
<b>VRS</b>	ROOF VENTILATION, STATIC	_____	Stand Alone	\$ _____

***Delivery***

<b>CNS</b>	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$ _____
------------	-------------------------------------	-------	-------------	----------

***Miscellaneous***

<b>MIL</b>	DATA PLATE AND DD250	_____	Stand Alone	\$ _____
------------	----------------------	-------	-------------	----------

**Solicitation Number: M8-091004-N****4X2 CAB FORWARD DRY CARGO VAN, MIN 16,001 LBS GVWR, CNG-HEV IN ACCORDANCE WITH FEDERAL STANDARDS  
DATED JULY 1, 2009**

<b>PSM</b>	PARTS AND SERVICE MANUALS	_____	Stand Alone	\$_____
<b>PSMA</b>	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	\$_____
<b>PSME</b>	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$_____